


Datasheet

Concrete Installation Housing for 7" Install Speaker

Part No: 610161



About the product

The concrete installation housing for 7" Install Speaker is specially designed for the installation of all **Loxone Install Speaker 7"** in **concrete ceilings and walls**.


Features:

- Easy installation and alignment
- High installation stability
- Suitable for exposed concrete, clad concrete, in-situ and ready-mixed concrete
- Pipe entries: 4xM25

Product Characteristics

Colours	Purple: RAL 4006
Material	Polycarbonate, halogen-free
Damping material	Polyester fleece (glued in)

Weight & Dimensions

Net weight	1.1 kg
Total weight	1,7kg
Volume	8l
Conduit entries	4x M25
Outlet	203mm / 8" (Ø)
Installation depth	100mm / 3.94"
Product dimensions	330x330x110mm / 12.99x12.99x4.33" (LxWxH)
Product dimensions drawing	 The drawing shows two views of the device. The side view on the left indicates a total width of 305mm, a top width of 209mm, a height of 85mm, and a depth of 25mm. Two circular ports are shown on the front face, each with a 25mm diameter. The front view on the right shows a square device with a 310mm width and a 10mm depth. A central circular outlet has a diameter of 203mm. Four mounting slots are located at the corners of the front face.
Pack size	350x350x125mm / 13.78x13.78x4.92" (LxWxH)

Installation must be carried out by a qualified electrician in accordance with the relevant regulations.

Published by

Loxone Electronics GmbH
 Smart Home 1
 4154 Kollerschlag
 Austria
 Tel: +43 7287 7070-0
 loxone.com


Loxone UK Ltd.
 The Forum
 Station Road
 Theale, RG7 4RA
 United Kingdom

Datenblatt

Betoneinbaugehäuse für 7"

Install Speaker

Part No: 610161



Über das Produkt

Das Betoneinbaugehäuse für 7" Install Speaker ist speziell für den Einbau aller **Loxone Install Speaker 7"** in **Betondecken und Wänden** konstruiert.


Features:

- Einfache Montage und Ausrichtung
- Hohe Einbaustabilität
- Geeignet für Sichtbeton, verkleideten Beton, Ort- und Fertigbeton
- Rohreinführungen: 4xM25

Produkteigenschaften

Farbe	Purpur: RAL 4006
Material	Polycarbonat, halogenfrei
Dämpfungsmaterial	Polystervlies (eingeklebt)

Gewicht & Abmessungen

Nettogewicht	1,1 kg
Bruttogewicht	1,7kg
Volumen	8l
Rohreinführungen	4x M25
Auslass	203mm / 8" (Ø)
Einbautiefe	100mm / 3.94"
Produktmaße	330x330x110mm / 12,99x12,99x4,33" (LxBxH)
Produktmaßzeichnung	 The technical drawing consists of two views: a front view on the left and a top view on the right. The front view shows a rectangular device with a width of 305mm and a height of 85mm. It features two circular ports on the front face, each with a diameter of 25mm, spaced 209mm apart. The top view shows a square device with a side length of 310mm. It has a central circular feature with a diameter of 203mm and four small rectangular features at the corners, each with a width of 10mm.
Packmaß	350x350x125mm / 13,78x13,78x4,92" (LxBxH)

Die Installation muss von einer qualifizierten Elektrofachkraft gemäß den einschlägigen Vorschriften durchgeführt werden.

Veröffentlicht von

Loxone Electronics GmbH
 Smart Home 1
 4154 Kollerschlag
 Austria
 Tel: +43 7287 7070-0
 loxone.com

Loxone UK Ltd.
 The Forum
 Station Road
 Theale, RG7 4RA
 United Kingdom